

## **Bon Tempe Diversion and Storage Data**

Owner: Marin Municipal Water District

Water Right IDs: A009892, S014040

Measurement Device ID: M000716

These data readings and calculations are preliminary. Most data relayed by telemetry have received little or no review. Inaccuracies in the data may be present because of instrument malfunctions and/or physical changes at the measurement site. Subsequent review may result in significant revisions to the data.

<b>Date</b>	<b>Measured Water Level Down From Spillway</b>	<b>Unit</b>	<b>Amount Diverted*</b>	<b>Calculated Storage (AF)</b>	<b>Water Surface Elevation (ft)</b>
1/1/2023	1.25	Feet		3,861	716.25
1/2/2023	1.25	Feet		3,861	716.25
1/3/2023	-0.50	Feet		4,017	718.00
1/4/2023	-0.17	Feet		4,017	717.67
1/5/2023	-0.17	Feet		4,017	717.67
1/6/2023	-0.17	Feet		4,017	717.67
1/7/2023	-0.17	Feet		4,017	717.67
1/8/2023	-0.17	Feet		4,017	717.67
1/9/2023	-0.17	Feet		4,017	717.67
1/10/2023	-0.80	Feet		4,017	718.30
1/11/2023	-0.80	Feet		4,017	718.30
1/12/2023	-0.15	Feet		4,017	717.65
1/13/2023	-0.22	Feet		4,017	717.72
1/14/2023	-0.37	Feet		4,017	717.87
1/15/2023	-0.27	Feet		4,017	717.77
1/16/2023	-0.16	Feet		4,017	717.66
1/17/2023	-0.01	Feet		4,017	717.51
1/18/2023	-0.30	Feet		4,017	717.80
1/19/2023	-0.24	Feet		4,017	717.74
1/20/2023	-0.21	Feet		4,017	717.71
1/21/2023	-0.18	Feet		4,017	717.68
1/22/2023	-0.18	Feet		4,017	717.68
1/23/2023	-0.16	Feet		4,017	717.66
1/24/2023	-0.15	Feet		4,017	717.65
1/25/2023	-0.14	Feet		4,017	717.64
1/26/2023	-0.14	Feet		4,017	717.64
1/27/2023	-0.13	Feet		4,017	717.63
1/28/2023	-0.13	Feet		4,017	717.63
1/29/2023	-0.12	Feet		4,017	717.62
1/30/2023	-0.03	Feet		4,017	717.53
1/31/2023	0.01	Feet		4,016	717.49
2/1/2023	0.05	Feet		4,013	717.45
2/2/2023	0.05	Feet		4,013	717.45
2/3/2023	-0.07	Feet		4,017	717.57

2/4/2023	-0.17	Feet		4,017	717.67
2/5/2023	-0.18	Feet		4,017	717.68
2/6/2023	-0.04	Feet		4,017	717.54
2/7/2023	0.00	Feet		4,017	717.50
2/8/2023	-0.01	Feet		4,017	717.51
2/9/2023	0.05	Feet		4,011	717.45
2/10/2023	0.10	Feet		4,004	717.40
2/11/2023	0.10	Feet		4,004	717.40
2/12/2023	0.14	Feet		4,000	717.36
2/13/2023	0.20	Feet		3,989	717.30
2/14/2023	0.26	Feet		3,985	717.24
2/15/2023	0.28	Feet		3,981	717.22
2/16/2023	0.31	Feet		3,978	717.19
2/17/2023	0.34	Feet		3,974	717.16
2/18/2023	0.36	Feet		3,972	717.14
2/19/2023	0.39	Feet		3,969	717.11
2/20/2023	0.40	Feet		3,966	717.10
2/21/2023	0.40	Feet		3,967	717.10
2/22/2023	0.39	Feet		3,969	717.11
2/23/2023	0.35	Feet		3,974	717.15
2/24/2023	0.20	Feet		3,991	717.30
2/25/2023	0.16	Feet		3,997	717.34
2/26/2023	-0.07	Feet		4,017	717.57
2/27/2023	-0.25	Feet		4,017	717.75
2/28/2023	-0.32	Feet		4,017	717.82
3/1/2023	-0.24	Feet		4,017	717.74
3/2/2023	-0.18	Feet		4,017	717.68
3/3/2023	-0.14	Feet		4,017	717.64
3/4/2023	-0.14	Feet		4,017	717.64
3/5/2023	-0.13	Feet		4,017	717.63
3/6/2023	-0.13	Feet		4,017	717.63
3/7/2023	-0.10	Feet		4,017	717.60
3/8/2023	-0.12	Feet		4,017	717.62
3/9/2023	-0.59	Feet		4,017	718.09
3/10/2023	-0.39	Feet		4,017	717.89
3/11/2023	-0.21	Feet		4,017	717.71
3/12/2023	-0.43	Feet		4,017	717.93
3/13/2023	-0.45	Feet		4,017	717.95
3/14/2023	-0.67	Feet		4,017	718.17
3/15/2023	-0.29	Feet		4,017	717.79
3/16/2023	-0.13	Feet		4,017	717.63
3/17/2023	-0.05	Feet		4,017	717.55
3/18/2023	-0.02	Feet		4,017	717.52
3/19/2023	-0.14	Feet		4,017	717.64
3/20/2023	-0.12	Feet		4,017	717.62
3/21/2023	-0.20	Feet		4,017	717.70
3/22/2023	-0.20	Feet		4,017	717.70

3/23/2023	-0.54	Feet		4,017	718.04
3/24/2023	-0.47	Feet		4,017	717.97
3/25/2023	-0.42	Feet		4,017	717.92
3/26/2023	-0.39	Feet		4,017	717.89
3/27/2023	-0.37	Feet		4,017	717.87
3/28/2023	-0.60	Feet		4,017	718.10
3/29/2023	-0.52	Feet		4,017	718.02
3/30/2023	-0.47	Feet		4,017	717.97
3/31/2023	-0.42	Feet		4,017	717.92
4/1/2023	-0.37	Feet		4,017	717.87
4/2/2023	-0.33	Feet		4,017	717.83
4/3/2023	-0.26	Feet		4,017	717.76
4/4/2023	-0.21	Feet		4,017	717.71
4/5/2023	-0.13	Feet		4,017	717.63
4/6/2023	0.28	Feet		3,982	717.22
4/7/2023	-0.02	Feet		4,017	717.52
4/8/2023	-0.06	Feet		4,017	717.56
4/9/2023	-0.01	Feet		4,017	717.51
4/10/2023	0.02	Feet		4,016	717.48
4/11/2023	0.05	Feet		4,013	717.45
4/12/2023	0.06	Feet		4,013	717.44
4/13/2023	0.03	Feet		4,015	717.47
4/14/2023	0.03	Feet		4,015	717.47
4/15/2023	0.04	Feet		4,014	717.46
4/16/2023	0.05	Feet		4,013	717.45
4/17/2023	0.06	Feet		4,013	717.44
4/18/2023	0.07	Feet		4,010	717.43
4/19/2023	0.10	Feet		4,006	717.40
4/20/2023	0.13	Feet		4,001	717.37
4/21/2023	0.17	Feet		3,994	717.33
4/22/2023	0.22	Feet		3,989	717.28
4/23/2023	0.27	Feet		3,984	717.23
4/24/2023	0.32	Feet		3,976	717.18
4/25/2023	0.38	Feet		3,970	717.12
4/26/2023	0.44	Feet		3,962	717.06
4/27/2023	0.51	Feet		3,951	716.99
4/28/2023	0.58	Feet		3,944	716.92
4/29/2023	0.65	Feet		3,937	716.85
4/30/2023	0.72	Feet		3,926	716.78
5/1/2023	0.80	Feet		3,915	716.70
5/2/2023	0.83	Feet		3,913	716.67
5/3/2023	0.68	Feet		3,932	716.82
5/4/2023	0.70	Feet		3,929	716.80
5/5/2023	0.73	Feet		3,925	716.77
5/6/2023	0.76	Feet		3,921	716.74
5/7/2023	0.80	Feet		3,915	716.70
5/8/2023	0.83	Feet		3,913	716.67

5/9/2023	0.86	Feet		3,909	716.64
5/10/2023	0.89	Feet		3,905	716.61
5/11/2023	0.92	Feet		3,900	716.58
5/12/2023	0.96	Feet		3,897	716.54
5/13/2023	1.01	Feet		3,890	716.49
5/14/2023	1.06	Feet		3,884	716.44
5/15/2023	1.09	Feet		3,881	716.41
5/16/2023	1.14	Feet		3,874	716.36
5/17/2023	1.19	Feet		3,868	716.31
5/18/2023	1.24	Feet		3,862	716.26
5/19/2023	1.29	Feet		3,855	716.21
5/20/2023	1.35	Feet		3,846	716.15
5/21/2023	1.39	Feet		3,841	716.11
5/22/2023	1.43	Feet		3,837	716.07
5/23/2023	1.49	Feet		3,828	716.01
5/24/2023	1.54	Feet		3,824	715.96
5/25/2023	1.59	Feet		3,817	715.91
5/26/2023	1.64	Feet		3,810	715.86
5/27/2023	1.68	Feet		3,807	715.82
5/28/2023	1.73	Feet		3,799	715.77
5/29/2023	1.78	Feet		3,794	715.72

A reservoir gauge measures water level elevation in the reservoir, which is then converted to volume using a depth-capacity rating table.

\* Due to the complex nature of calculating the amount diverted for each water right, which involves multiple devices and data that need verification later in the year, a Measurement Method is used to quantify the amount of water diverted under all separate priorities of rights being exercised pursuant to California Code of Regulations, Title 23, Division 3, Chapter 2.8, Section 934. The amount diverted during the year will be reported in the annual Report of Licensee for each separate water right.