

Nicasio Lake Diversion and Storage Data

Owner: Marin Municipal Water District

Water Right ID: A017317

Measurement Device ID: M000886

These data readings and calculations are preliminary. Most data relayed by telemetry have received little or no review. Inaccuracies in the data may be present because of instrument malfunctions and/or physical changes at the measurement site. Subsequent review may result in significant revisions to the data.

Date	Measured Water Level Down From Spillway	Unit	Amount Diverted*	Calculated Storage (AF)	Water Surface Elevation (ft)
1/1/2023	4.29	Feet		18,803	160.71
1/2/2023	3.90	Feet		19,132	161.10
1/3/2023	3.62	Feet		19,360	161.38
1/4/2023	2.37	Feet		20,419	162.63
1/5/2023	-0.01	Feet		22,430	165.01
1/6/2023	-0.56	Feet		22,430	165.56
1/7/2023	-0.56	Feet		22,430	165.56
1/8/2023	-0.56	Feet		22,430	165.56
1/9/2023	-1.08	Feet		22,430	166.08
1/10/2023	-1.08	Feet		22,430	166.08
1/11/2023	-1.08	Feet		22,430	166.08
1/12/2023	-0.80	Feet		22,430	165.80
1/13/2023	-0.67	Feet		22,430	165.67
1/14/2023	-1.18	Feet		22,430	166.18
1/15/2023	-0.98	Feet		22,430	165.98
1/16/2023	-0.53	Feet		22,430	165.53
1/17/2023	-0.30	Feet		22,430	165.30
1/18/2023	-0.19	Feet		22,430	165.19
1/19/2023	-0.12	Feet		22,430	165.12
1/20/2023	-0.06	Feet		22,430	165.06
1/21/2023	-0.02	Feet		22,430	165.02
1/22/2023	0.04	Feet		22,395	164.96
1/23/2023	0.07	Feet		22,369	164.93
1/24/2023	-0.10	Feet		22,430	165.10
1/25/2023	-0.24	Feet		22,430	165.24
1/26/2023	-0.23	Feet		22,430	165.23
1/27/2023	-0.07	Feet		22,430	165.07
1/28/2023	-0.07	Feet		22,430	165.07
1/29/2023	-0.05	Feet		22,430	165.05
1/30/2023	-0.05	Feet		22,430	165.05
1/31/2023	-0.04	Feet		22,430	165.04
2/1/2023	-0.03	Feet		22,430	165.03
2/2/2023	-0.05	Feet		22,430	165.05
2/3/2023	-0.16	Feet		22,430	165.16

2/4/2023	-0.25	Feet		22,430	165.25
2/5/2023	-0.24	Feet		22,430	165.24
2/6/2023	-0.23	Feet		22,430	165.23
2/7/2023	-0.14	Feet		22,430	165.14
2/8/2023	-0.15	Feet		22,430	165.15
2/9/2023	-0.11	Feet		22,430	165.11
2/10/2023	-0.13	Feet		22,430	165.13
2/11/2023	-0.12	Feet		22,430	165.12
2/12/2023	-0.13	Feet		22,430	165.13
2/13/2023	-0.16	Feet		22,430	165.16
2/14/2023	-0.12	Feet		22,430	165.12
2/15/2023	-0.04	Feet		22,430	165.04
2/16/2023	-0.03	Feet		22,430	165.03
2/17/2023	-0.16	Feet		22,430	165.16
2/18/2023	-0.14	Feet		22,430	165.14
2/19/2023	-0.17	Feet		22,430	165.17
2/20/2023	-0.05	Feet		22,430	165.05
2/21/2023	-0.01	Feet		22,430	165.01
2/22/2023	0.00	Feet		22,430	165.00
2/23/2023	-0.07	Feet		22,430	165.07
2/24/2023	-0.09	Feet		22,430	165.09
2/25/2023	-0.07	Feet		22,430	165.07
2/26/2023	-0.10	Feet		22,430	165.10
2/27/2023	-0.19	Feet		22,430	165.19
2/28/2023	-0.32	Feet		22,430	165.32
3/1/2023	-0.25	Feet		22,430	165.25
3/2/2023	-0.22	Feet		22,430	165.22
3/3/2023	-0.10	Feet		22,430	165.10
3/4/2023	-0.07	Feet		22,430	165.07
3/5/2023	-0.21	Feet		22,430	165.21
3/6/2023	-0.23	Feet		22,430	165.23
3/7/2023	-0.25	Feet		22,430	165.25
3/8/2023	-0.22	Feet		22,430	165.22
3/9/2023	-1.51	Feet		22,430	166.51
3/10/2023	-0.90	Feet		22,430	165.90
3/11/2023	-0.58	Feet		22,430	165.58
3/12/2023	-0.61	Feet		22,430	165.61
3/13/2023	-0.57	Feet		22,430	165.57
3/14/2023	-1.30	Feet		22,430	166.30
3/15/2023	-0.69	Feet		22,430	165.69
3/16/2023	-0.48	Feet		22,430	165.48
3/17/2023	-0.38	Feet		22,430	165.38
3/18/2023	-0.31	Feet		22,430	165.31
3/19/2023	-0.45	Feet		22,430	165.45
3/20/2023	-0.39	Feet		22,430	165.39
3/21/2023	-1.16	Feet		22,430	166.16
3/22/2023	-0.87	Feet		22,430	165.87

3/23/2023	-0.58	Feet		22,430	165.58
3/24/2023	-0.44	Feet		22,430	165.44
3/25/2023	-0.35	Feet		22,430	165.35
3/26/2023	-0.31	Feet		22,430	165.31
3/27/2023	-0.26	Feet		22,430	165.26
3/28/2023	-0.73	Feet		22,430	165.73
3/29/2023	-0.53	Feet		22,430	165.53
3/30/2023	-0.44	Feet		22,430	165.44
3/31/2023	-0.38	Feet		22,430	165.38
4/1/2023	-0.32	Feet		22,430	165.32
4/2/2023	-0.32	Feet		22,430	165.32
4/3/2023	-0.28	Feet		22,430	165.28
4/4/2023	-0.26	Feet		22,430	165.26
4/5/2023	-0.27	Feet		22,430	165.27
4/6/2023	-0.26	Feet		22,430	165.26
4/7/2023	-0.28	Feet		22,430	165.28
4/8/2023	-0.24	Feet		22,430	165.24
4/9/2023	-0.25	Feet		22,430	165.25
4/10/2023	-0.25	Feet		22,430	165.25
4/11/2023	-0.23	Feet		22,430	165.23
4/12/2023	-0.22	Feet		22,430	165.22
4/13/2023	-0.22	Feet		22,430	165.22
4/14/2023	-0.19	Feet		22,430	165.19
4/15/2023	-0.18	Feet		22,430	165.18
4/16/2023	-0.15	Feet		22,430	165.15
4/17/2023	-0.16	Feet		22,430	165.16
4/18/2023	-0.12	Feet		22,430	165.12
4/19/2023	-0.09	Feet		22,430	165.09
4/20/2023	-0.07	Feet		22,430	165.07
4/21/2023	-0.09	Feet		22,430	165.09
4/22/2023	-0.07	Feet		22,430	165.07
4/23/2023	-0.06	Feet		22,430	165.06
4/24/2023	-0.08	Feet		22,430	165.08
4/25/2023	-0.05	Feet		22,430	165.05
4/26/2023	-0.09	Feet		22,430	165.09
4/27/2023	-0.03	Feet		22,430	165.03
4/28/2023	-0.05	Feet		22,430	165.05
4/29/2023	-0.04	Feet		22,430	165.04
4/30/2023	-0.01	Feet		22,430	165.01
5/1/2023	-0.02	Feet		22,430	165.02
5/2/2023	0.00	Feet		22,430	165.00
5/3/2023	-0.05	Feet		22,430	165.05
5/4/2023	-0.04	Feet		22,430	165.04
5/5/2023	-0.03	Feet		22,430	165.03
5/6/2023	-0.04	Feet		22,430	165.04
5/7/2023	-0.04	Feet		22,430	165.04
5/8/2023	-0.05	Feet		22,430	165.05

5/9/2023	-0.04	Feet		22,430	165.04
5/10/2023	-0.05	Feet		22,430	165.05
5/11/2023	-0.04	Feet		22,430	165.04
5/12/2023	-0.09	Feet		22,430	165.09
5/13/2023	-0.09	Feet		22,430	165.09
5/14/2023	-0.09	Feet		22,430	165.09
5/15/2023	0.01	Feet		22,421	164.99
5/16/2023	-0.03	Feet		22,430	165.03
5/17/2023	-0.03	Feet		22,430	165.03
5/18/2023	-0.03	Feet		22,430	165.03
5/19/2023	-0.02	Feet		22,430	165.02
5/20/2023	-0.02	Feet		22,430	165.02
5/21/2023	0.00	Feet		22,430	165.00
5/22/2023	0.04	Feet		22,395	164.96
5/23/2023	0.09	Feet		22,351	164.91
5/24/2023	0.12	Feet		22,327	164.88
5/25/2023	0.17	Feet		22,283	164.83
5/26/2023	0.19	Feet		22,266	164.81
5/27/2023	0.23	Feet		22,232	164.77
5/28/2023	0.25	Feet		22,216	164.75
5/29/2023	0.28	Feet		22,183	164.72

A reservoir gauge measures water level elevation in the reservoir, which is then converted to volume using a depth-capacity rating table.

* Due to the complex nature of calculating the amount diverted for each water right, which involves multiple devices and data that need verification later in the year, a Measurement Method is used to quantify the amount of water diverted under all separate priorities of rights being exercised pursuant to California Code of Regulations, Title 23, Division 3, Chapter 2.8, Section 934. The amount diverted during the year will be reported in the annual Report of Licensee for each separate water right.